

**woodlike**



● **Naturale Rettificato**  
Unpolished Rectified  
Matt Rektifiziert  
Naturel Rectifié

● **Esterno Rettificato**  
Outdoor Rectified  
Aussenbereich Rektifiziert  
Exterieur Rectifié





Afromosia **Avorio**



Afromosia **Miele**




Afromosia **Ecrú**



Afromosia **Tabacco**




Afromosia **Moro**



Afromosia **Intenso**





gres  
STONEWARE



**SUPERFICI** SURFACES OBERFLÄCHEN SURFACES

● **Naturale Rettificato**  
Unpolished Rectified  
Matt Rektifiziert  
Naturel Rectifié

● **Esterno Rettificato**  
Outdoor Rectified  
Aussenbereich Rektifiziert  
Exterieur Rectifié



Formati	Colori	Scatole			Pallet			Spessore Thickness Stärke Epaisseur		
		Naturale Rettificato Unpolished Rectified Matt Rektifiziert Naturel Rectifié	Esterno Rettificato Outdoor Rectified Aussenbereich Rektifiziert Exterieur Rectifié	Pz/Sc Pcs/Box Stck/Kart. Pcs/Boîte	Mq/Sc Sqm/Box Qm/Kart. M²/Boîte	Kg/Sc Kg/Box Kg/Kart. Kg/Boîte	Colli Boxes Kart Boîtes		Mq Sqm Qm M²	Kg Kg Kg Kg
 25x149,7 - 10"x59"	Avorio Miele Ecrú Tabacco Moro Intenso	AF211R AF212R AF213R AF218R AF210R AF217R		3	1,1226	25	36	40,4136	910	10 mm
 15,1x90,6 - 6"x36"	Avorio Miele Ecrú Tabacco Moro Intenso	AF191R AF192R AF193R AF198R AF190R AF197R	AF191ER AF192ER AF193ER AF198ER AF190ER AF197ER	9	1,2312	27	33	40,6296	901	10 mm
 CHEVRON 15,1x75 - 6"x30"	Avorio Miele Ecrú Tabacco Moro Intenso	AF171R AF172R AF173R AF178R AF170R AF177R		Cp. 5	1,132	25				10 mm
 HYDRO 25x149,7 - 10"x59"	Avorio Miele Ecrú Tabacco Moro Intenso	AF211DR AF212DR AF213DR AF218DR AF210DR AF217DR		Cp. 1	0,7484	16,7				10 mm

Composizione di 2 pz. con 5 incisioni a idrogetto su ciascun pezzo in posizione variabile "random".

Composition of 2 pieces with 5 waterjet engravings on each in a random position.

Kombination aus 2 Stk. mit 5 Wasserstrahlgravierungen auf jedem Stück in unterschiedlicher Position nach dem Zufallsprinzip.

Composition comprenant 2 pièces avec 5 incisions par jet d'eau sur chaque pièce en position variable «random».

 MOSAICO 4,5x5,5 - 1½"x2"	Avorio Miele Ecrú Tabacco Moro Intenso	AF1MSR AF2MSR AF3MSR AF8MSR AF0MSR AF7MSR		Sheets 11	0,99	19,5				
 7,5x90,6 - 3"x36" Battiscopa - Bullnose Sockel - Plinthe	Avorio Miele Ecrú Tabacco Moro Intenso	AFB901R AFB902R AFB903R AFB908R AFB900R AFB907R		18	MI 16,308	28,44				

In fogli 30x30 da 36 pezzi.  
In 30x30 - 12"x12" sheets made up of 36 pieces.  
Auf Blatt 30x30 mit 36 Stück.  
Sur feuille tramée de 30x30 de 36 pièces.



Ecrú 25x149,7 - 10"x59" - Naturale Rettificato  
Ecrú Hydro 25x149,7 - 10"x59" - Naturale Rettificato

gres  
STONEWARE

Gres Porcellanato Porcelain Stoneware Feinsteinzeug Grès Cérame EN 14411:2012 ANNEX G GROUP BLa GL



(V3): Piastrelle con media variazione di tono e disegno

Tiles with moderate shade and aspect variation

Fliessen mit gemäßig unterschiedlichen Tonalitäten und Muster

Carreaux avec faible différence de nuance et structure



**Pavimento** - Floor coverings  
Bodenbeläge - Sol



**Rivestimento** - Wall coverings  
Wandbeläge - Faïence



**Residenziale** - Residential areas  
Wohngebiete - Zones résidentielles



**Esterno (Esterno)**  
Outdoor areas - Außenbereiche  
Espaces extérieurs



**Traffico leggero**  
Light traffic areas - Geringe Begehungsfrequenz  
Zones à trafic léger



**Traffico pesante**  
Heavy traffic areas - Starke Begehungsfrequenz  
Zones à trafic intense



**Zone limitrofe a piscina (Esterno)**  
Swimming pool areas - Schwimmbadbereich  
Abords de piscines



**Rivestimenti esterni / Pareti ventilate**  
External cladding / Ventilated facade - Außenverkleidung / Hinterlüftete Fassaden  
Murs extérieurs / Façades ventilées

DIGITAL  
HD 3D

**Fino a 100 grafiche differenti**

Up to 100 different graphics

Jusqu'à 100 graphiques différentes

Bis zu 100 verschiedene Grafiken

WE  
FEEL  
GREEN

**Elevato contenuto di materiale riciclato**

High content of recycled material

Hoher Anteil an Recyclten Rohstoffen

Haute teneur en matériaux recyclés

Pag. 629

eco+  
THE GREEN SOUL OF PORCELAIN STONEWARE



**Resistente al gelo**



**Naturale**



**Esterno**



**Naturale Esterno**



**Naturale Esterno**  
DRY: > 0,40  
WET: > 0,40



**Naturale**  
WET: ≥ 0.42



**Esterno**  
WET: ≥ 0.55



**Naturale**  
DRY: 56  
WET: 40



**PEI 4**